

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020916

Report Date : 04-Mar-24

ULR NO: TC585424000012620F

Report Issued To :	Receipt Date	Analysis Start Date	Analysis End Date
YES ORGANIC	22-Feb-24	22-Feb-24	26-Feb-24
Subhash Nagar, Kashipur			
Udham Singh Nagar	Uttarakhand 244713		

Particulars of Sample Submitted :

Sample Name: Natural Honey
Test Reference: --
Quantity & packing: Approx 190 gm in Plastic Bottle
Code No: --
Batch No: 022024878675
Other Information: Lot/Batch Size : 10MT

Analysis Results :

RESIDUES IN FOOD PRODUCTS

CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Aldrin ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlordane ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Beta Cyfluthrin (including other mixtures of constituent isomers sum of isomers) ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cypermethrin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDD(TDE) -p,p',mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDD(TDE) -O,p',mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDE -o,p',mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDE-p,p',mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDT -o,p',mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDT -p,p',mg/kg	0.01	BLQ	RAL/CHE-PR/30
Amitraz,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorobenzilate,mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R5350453

Page 1 of 3

ABane
AvantikaBane

Reviewed By

B.T. Kaushal
B T KAUSHAL

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020916

Report Date : 04-Mar-24

ULR NO: TC585424000012620F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Coumaphos,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Deltamethrin ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dieldrin ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Alpha endosulphan,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Beta-Endosulfan,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Endosulphan Sulphate ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Endrin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Esfenvalerate,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenvalerate,mg/kg	0.01	BLQ	RAL/CHE-PR/30
HCH -delta,mg/kg	0.01	BLQ	RAL/CHE-PR/30
HCH-alpha,mg/kg	0.01	BLQ	RAL/CHE-PR/30
HCH-beta,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Heptachlor,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Hexachlorobenzene,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Permethrin ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
tau-Fluvalinate,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Benfuracarb,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbaryl ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbofuran,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbosulfan ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Malaoxon ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Malathion ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phosalone,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Propoxur,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Methoxychlor,mg/kg	0.01	BLQ	RAL/CHE-PR/30
Furathiocarb,mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R5350453

Page 2 of 3

Avantika Bane
AvantikaBane

Reviewed By

B. T. Kaushal
B T KAUSHAL

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020916

Report Date : 04-Mar-24

ULR NO: TC585424000012620F

Statement Of Conformity : -----

Opinion and Interpretation -----

Remark : *Statement of conformity is given on the basis of decision rule by not considering measurement of uncertainty.*

Note : Results pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the Technical Manager. Sample not drawn by RALPL representative. To check the authenticity of the report please visit "www.reliablelabs.org/Check-Report". Subject to Thane Jurisdiction. "BLQ" - Below Limit Of Quantification.



NABL Scope



Report

***** End Of Report *****

ABane
AvantikaBane

Reviewed By

B.T. Kaushal
B T KAUSHAL

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / FV24020916A

Report Date : 04-Mar-24

Report Issued To :	Receipt Date	Analysis Start Date	Analysis End Date
YES ORGANIC	22-Feb-24	22-Feb-24	26-Feb-24
Subhash Nagar, Kashipur			
Udham Singh Nagar	Uttarakhand 244713		

Particulars of Sample Submitted :

Sample Name: Natural Honey
Test Reference: --
Quantity & packing: Approx 190 gm in Plastic Bottle
Code No: --
Batch No: 022024878675
Other Information: Lot/Batch Size : 10MT

Analysis Results :

RESIDUES IN FOOD PRODUCTS

CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
*4-bromo-2-chlorophenol,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Alachlor ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Atrazine ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bendiocarb ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bifenthrin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Butachlor,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Captafol,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Captan,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorfenapyr ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorfenvinphos,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorothonil,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorpyrifos,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorpyrifos methyl ,mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R59245824

Page 1 of 4


AvantikaBane

Reviewed By


B T KAUSHAL

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / FV24020916A

Report Date : 04-Mar-24

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
*3,4-Dichloroaniline,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*4-Chloro-3-methylphenol,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Acephate ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Acifluorfen,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Ametoctradin ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Ametyrn,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Aminomethyl Phosphonic acid,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Amisulbrom,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Amitrol,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Anilophos,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Aureofungin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Azimsulfuron,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Azinophos-ethyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Azinophos-methyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Azocyclotin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bentazone ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bentazone-6-Hydroxy,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bifenazate,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bifenazate-diazene,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bioresmethrin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bispyribac,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bromadiolone,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bromophos Ethyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bromopropylate,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Bupirimate,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Buprofezin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Carboxin ,mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R59245824

Page 2 of 4


AvantikaBane

Reviewed By


B T KAUSHAL

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / FV24020916A

Report Date : 04-Mar-24

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
*Carfentrazone Ethyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorantraniliprole ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlordimeform,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorimuron ethyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Chlorpropham,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Boscalid,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Clofentezine ,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Cycloxydime,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Epoiconazole,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Metrafenone,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Nitenpyram,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Oxadixyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Oxamyl,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Picoxystorbin,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Piperonyl butoxide,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Pirimicarb,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Procymidone,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Spirotetramat,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Tebufenozide,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Tebufenpyrad,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Thiabendazole,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Thiobendazole,mg/kg	0.01	BLQ	RAL/CHE-PR/30
*Tolfenpyrad,mg/kg	0.01	BLQ	RAL/CHE-PR/30

Statement Of Conformity : -----

Opinion and Interpretation -----

Print No : R59245824

Page 3 of 4


AvantikaBane

Reviewed By


B T KAUSHAL

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / FV24020916A

Report Date : 04-Mar-24

Remark : *Statement of conformity is given on the basis of decision rule by not considering measurement of uncertainty.*

Note : Results pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the Technical Manager. Sample not drawn by RALPL representative. To check the authenticity of the report please visit "www.reliablelabs.org/Check-Report". Subject to Thane Jurisdiction. "BLQ" - Below Limit Of Quantification.



***** End Of Report *****

Report

Print No : R59245824

Page 4 of 4


AvantikaBane

Reviewed By


B T KAUSHAL

Authorized Signatory